

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	((JUNBIAO) near2 (ZHANG)).INV.	USPAT	ADJ	ON	2008/08/29 14:54
S2	58	((JUNBIAO) near2 (ZHANG)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/29 15:01
S3	5	"566393".ap.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/02 10:15
S4	345261	(network near1 control\$3 near2 access) or ("802.1x" or encapsulation over LANs or EAPOL) or (supplicant or mobile communication\$1 near1 devices\$1 or client\$1 or client device\$1) or (MT or RADIUS near2 server or authentication server\$1 or access point or authenticator) or (wireless local area networks or WLAN) or (re\$1directi\$2) or (web browser based authentication method)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 10:21
S5	2267	((network near1 control\$3 near2 access) or ("802.1x" or encapsulation over LANs or EAPOL)) and (supplicant or mobile communication\$1 near1 devices\$1 or client\$1 or client device\$1) or (MT or RADIUS near2 server or authentication server\$1 or access point or authenticator) same (wireless local area networks or WLAN) and (re \$1directi\$2) or (web browser based authentication method)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 10:24

S6	2090	((network near1 control\$3 near2 access) or ("802.1x" or encapsulation over LANs or EAPOL)) and (supplicant or mobile communication\$1 near1 devices\$1 or client\$1 or client device\$1) or (MT or RADIUS near2 server or authentication server\$1 or access point or authenticator) same (wireless local area networks or WLAN) and (re \$1directi\$2) and (web browser based authentication method)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 10:24
S7	0	((network near1 control\$3 near2 access) and ("802.1x" or encapsulation over LANs or EAPOL)) and (supplicant or mobile communication\$1 near1 devices\$1 or client\$1 or client device\$1) and (MT or RADIUS near2 server or authentication server\$1 or access point or authenticator) same (wireless local area networks or WLAN) and (re \$1directi\$2) and (web browser based authentication method)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 10:25
S8	2089	((network near1 control\$3 near2 access) or ("802.1x" or encapsulation over LANs or EAPOL)) and (supplicant or mobile communication\$1 near1 devices\$1 or client\$1 or client device\$1) or (MT or RADIUS near2 server or authentication server\$1 or access point or authenticator) same (wireless local area networks or WLAN) and (re \$1directi\$2) and (web browser based authentication method)and 726/5.ccls.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 12:14
S9	34	S6 and 726/5.ccls.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 12:14

S10	0	(wireless local area networks or WLAN) and ((authenticat\$3 or control) access) and (access point or AP) and (session ID) and (web browser or web \$1page) and (redirect) and (random\$4 number)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 13:03
S11	1	(wireless local area networks or WLAN) and ((authenticat\$3 or control) near3 access) and (access point or AP) and (session ID) and (web browser or web\$1page) and (redirect) and (random\$4 number)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 13:04
S12	25	(wireless local area networks or WLAN) and ((authenticat\$3 or control) near3 access) and (access point or AP) and (web browser or web\$1page) and (redirect) and (random\$4 number)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 13:05
S13	1	("2007/0178885").URPN.	USPAT	ADJ	ON	2008/09/08 13:11
S14	0	("2007/0113269").URPN.	USPAT	ADJ	ON	2008/09/08 13:12
S15	1114	(726/5).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/08 13:20
S16	28	(wireless local area networks or WLAN) and (access point or AP) and (web browser or web \$1page) and (redirect) and (random\$4 number)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 14:08
S17	3	S16 not S12	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 14:11
S18	0	wo9642041.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 14:14
S19	13	levergood-thomas-\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 14:33
S20	0	("2008/0201344").URPN.	USPAT	ADJ	ON	2008/09/08 14:34

S21	8	levergood-thomas-\$.in.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 14:40
S22	35	hinton-heather-\$.in.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 14:47
S23	10	hinton-heather-m.in.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 14:47
S24	4	("5347632" "5544322" "5560008" "5577209").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/08 16:13
S25	534	("5708780").URPN.	USPAT	ADJ	ON	2008/09/08 16:21
S26	63	S25 and (network near2 access or (wireless local area networks or WLAN)) and redirect\$2 and (web or web browser)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 16:25
S27	22	(network or wireless local area networks or WLAN) and (sslD or SlD) and (web near3 re\$1directi\$2)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/08 17:10
S28	908717	network\$1	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/09 16:56
S29	1328001	access\$2	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/09 16:56
S30	89810	redirect\$3	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/09 16:57
S31	104095	authentica\$3	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/09 16:58
S32	361	(S28 with S29) same S30 same S31	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/09 16:59
S34	52	S32 and @py<="2003"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/09 17:01
S35	674134	march or compare	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 07:26
S36	908717	network\$1	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 07:27
S37	1328001	access\$2	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 07:27
S38	89810	redirect\$3	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 07:27

S39	104095	authentikat\$3	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 07:27
S40	135	((S36 with S37) same S38 same S39) and S35	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 07:27
S42	24	S40 and @py<="2003"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 07:28
S43	396	(authentikat\$3 server) and (credential) and (certificate) and (digital signature)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 08:10
S44	15	(authentikat\$3 server) and (credential) and (certificate) and (digital signature) and (re\$1direct\$3 request)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 08:11
S45	15	(authentikat\$3 server) and (credential) and (certificate or token) and (digital signature) and (re\$1direct \$3 request)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 08:40
S46	1059	(713/155).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 09:05
S47	1	"5708780".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/10 09:09
S48	1	web-based cross-domain single-sign-on\$.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 09:17
S50	2	("5826014" "5875296"). PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/10 09:32
S51	0	authentikat\$3 near3 network near3 wireless same SID	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/15 07:28
S52	37	authentikat\$3 same network same wireless same SI D	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/15 07:29
S53	0	(select or choose) near (authentication server or AS) authentikat\$3 same (web or web\$1page)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/15 09:38
S54	1	(select or choose) near3 (authentication server or AS) authentikat\$3 same (web or web\$1page)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/15 09:39
S56	7	"474096".ap.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/16 07:10

S57	6	"551291".ap.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/16 07:12
S59	1	"10/566393".app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 15:01
S60	0	"10548578".app.	USPAT	ADJ	ON	2009/11/05 14:26
S61	0	"10548578"	USPAT	ADJ	ON	2009/11/05 14:26
S62	0	"200406566"	USPAT	ADJ	ON	2009/11/05 14:27
S63	0	"20060264201"	USPAT	ADJ	ON	2009/11/05 14:28
S64	1	"6233608".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/11/05 15:09
S65	2	"20040047348"	US-PGPUB; USPAT	OR	ON	2009/11/06 09:20
S66	8	"20040047348" or "20020199104" or "20020065785" or "20020120844" or "20030142650" or "20070230453"	US-PGPUB; USPAT	OR	ON	2009/11/06 09:22
S67	1665	(select\$4 or choos\$4) with (authentication near5 server)	US-PGPUB; USPAT	OR	ON	2009/11/06 09:44
S68	715	(select\$4 or choos\$4) with (authentication near5 server) and ("713" or "726" or "380").clas.	US-PGPUB; USPAT	OR	ON	2009/11/06 09:46
S69	247	(select\$4 or choos\$4) with (authentication near5 server) and ("713" or "726" or "380").clas. and @ad< "20030701"	US-PGPUB; USPAT	OR	ON	2009/11/06 09:46
S70	22	(select\$4 or choos\$4) with (authentication near5 server) with (list or web \$1page) and ("713" or "726" or "380").clas. and @ad< "20030701"	US-PGPUB; USPAT	OR	ON	2009/11/06 19:42
S71	129	(select\$4 or choos\$4) with (authentication near5 server) and (mobile or wireless) and ("713" or "726" or "380").clas. and @ad< "20030701"	US-PGPUB; USPAT	OR	ON	2009/11/06 19:53

S72	68	(select\$4 or choos\$4) with (authentication near5 server) with (user or client) and (mobile or wireless) and ("713" or "726" or "380").clas. and @ad< "20030701"	US-PGPUB; USPAT	OR	ON	2009/11/06 19:54
S73	2	(select\$4 or choos\$4) near20 (ISP or internet adj service adj provider) near20 (authentica\$4) and (mobile or wireless) and ("713" or "726" or "380").clas. and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/09 09:50
S74	2	(select\$4 or choos\$4) near20 (ISP or internet adj service adj provider) near20 (authentica\$4 or verif\$4) and (mobile or wireless) and ("713" or "726" or "380").clas. and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/09 09:53
S75	2	(select\$4 or choos\$4) near20 (ISP or (internet adj service adj provider)) near20 (authentica\$4 or verif\$4 or validat\$3) and (mobile or wireless) and ("713" or "726" or "380"). clas. and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/09 09:58
S76	19	(select\$4 or choos\$4) near20 (ISP or (internet adj service adj provider)) near20 (authentica\$4 or verif\$4 or validat\$3) and (mobile or wireless) and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/09 10:02
S77	840	(user or client) near20 (select\$4 or choos\$4) near20 (server or service) near20 (authentica\$4 or verif\$4 or validat\$3) and (mobile or wireless) and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/09 10:49
S78	565	(user or client) near20 (select\$4 or choos\$4) near20 ((server or service) near5 (authentica\$4 or verif \$4 or validat\$3)) and (mobile or wireless) and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/09 10:49

S79	157	(user or client) near20 (select\$4 or choos\$4) near20 ((server or service) near5 (authenticat\$4 or verif\$4 or validat\$3)) and (mobile or wireless) and @ad< "20030729" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/09 10:50
S80	142	(user or client) near10 (select\$4 or choos\$4) near20 ((server or service) near5 (authenticat\$4 or verif\$4 or validat\$3)) and (mobile or wireless) and @ad< "20030729" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/09 11:04
S81	120	(user or client) adj10 (select\$4 or choos\$4) near20 ((server or service) near5 (authenticat\$4 or verif\$4 or validat\$3)) and (mobile or wireless) and @ad< "20030729" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/09 11:05
S82	65	(user or client) adj10 (select\$4 or choos\$4) adj15 ((server or service) near5 (authenticat\$4 or verif\$4 or validat\$3)) and (mobile or wireless) and @ad< "20030729" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/09 11:05
S83	0	(user or client) adj10 (select\$4 or choos\$4) adj15 ((server or service) near5 (authenticat\$4 or verif\$4 or validat\$3) near10 (web\$1page or web\$1site)) and (mobile or wireless) and @ad< "20030729" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/09 11:09
S84	0	(user or client) adj10 (select\$4 or choos\$4) adj15 ((server or service) near5 (authenticat\$4 or verif\$4 or validat\$3) near20 (web\$1page or web\$1site)) and (mobile or wireless) and @ad< "20030729" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/09 11:09

S85	0	(web\$1page or web\$1site) near20 (user or client) adj10 (select\$4 or choos\$4) adj15 ((server or service) near5 (authentikat\$4 or verif \$4 or validat\$3)) and (mobile or wireless) and @ad< "20030729" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/09 11:11
S86	1	(web\$1page or web\$1site or home\$1page or page) near20 (user or client) adj10 (select\$4 or choos\$4) adj15 ((server or service) near5 (authentikat\$4 or verif \$4 or validat\$3)) and (mobile or wireless) and @ad< "20030729" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/09 11:11
S87	1	"20030212800"	US-PGPUB; USPAT	OR	ON	2009/11/09 15:10
S88	1137	(authentication adj2 server) with (sign\$4 or signature)	US-PGPUB; USPAT	OR	ON	2009/11/09 17:10
S89	7	(AP.U/C. or Access adj point) same ((authentication adj server) with signature)	US-PGPUB; USPAT	OR	ON	2009/11/10 13:11
S90	4165	(generat\$4 adj5 signature) same (compar\$4 or match \$4 or against)	US-PGPUB; USPAT	OR	ON	2009/11/10 15:24
S91	3294	(generat\$4 adj5 signature) same ((compar\$4 or match \$4 or against) with signature)	US-PGPUB; USPAT	OR	ON	2009/11/10 15:24
S92	1301	(generat\$4 adj signature) same ((compar\$4 or match \$4 or against) with signature)	US-PGPUB; USPAT	OR	ON	2009/11/10 15:25
S93	1226	(generat\$4 adj signature) same ((compar\$3 or match \$3 or against) with signature)	US-PGPUB; USPAT	OR	ON	2009/11/10 15:25
S94	23	(generat\$4 adj signature) same ((compar\$3 or match \$3 or against) with signature) and (Access adj point)	US-PGPUB; USPAT	OR	ON	2009/11/10 15:25
S95	1706	(generat\$4 adj3 signature) same ((compar\$3 or match \$3 or against) with signature) and (authentication server)	US-PGPUB; USPAT	OR	ON	2009/11/10 15:32

S96	142	(generat\$4 adj3 signature) same ((compar\$3 or match\$3 or against) with signature) and (authentication adj server)	US-PGPUB; USPAT	OR	ON	2009/11/10 15:32
S97	67	(generat\$4 adj3 signature) same ((compar\$3 or match\$3 or against) with signature) and (Access adj point)	US-PGPUB; USPAT	OR	ON	2009/11/10 15:32
S98	54	(generat\$4 adj3 signature) same ((compar\$3 or match\$3 or against) with signature) and (Access adj point) and @ad< "20070729"	US-PGPUB; USPAT	OR	ON	2009/11/10 15:33
S99	41	S98 not S94	US-PGPUB; USPAT	OR	ON	2009/11/10 15:33
S100	23	((generat\$4 or re\$1generat\$3) adj signature) same ((compar\$3 or match\$3 or against) with signature) and (Access adj point)	US-PGPUB; USPAT	OR	ON	2009/11/10 15:49
S101	480	((generat\$4 or re\$1generat\$3) adj signature) same ((compar\$3 or match\$3 or against) with signature) and (wireless)	US-PGPUB; USPAT	OR	ON	2009/11/10 15:49
S102	397	((generat\$4 or re\$1generat\$3) adj signature) same ((compar\$3 or match\$3 or against) with signature) and (wireless) and @ad< "20071029"	US-PGPUB; USPAT	OR	ON	2009/11/10 15:50
S103	163	((generat\$4 or re\$1generat\$3) adj signature) same ((compar\$3 or match\$3 or against) with signature) and (wireless) and @ad< "20071029" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/10 15:50
S104	48	((generat\$4 or re\$1generat\$3) adj signature) same ((compar\$3 or match\$3 or against) with signature) and (wireless) and @ad< "20031029" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/10 15:51
S105	0	compare generated signature with other signature	US-PGPUB; USPAT	ADJ	ON	2009/11/10 16:02

S106	830	((compar\$3 or match\$3 or against) near10 signature) and (wireless) and @ad<"20031029" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/10 16:03
S107	2	((compar\$3 or match\$3 or against) adj5 local adj10 signature) and (wireless) and @ad<"20031029" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/10 16:03
S108	458	(generat\$1 adj5 signature withcompar\$4) and (wireless) and @ad<"20031029" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/10 16:05
S109	38	(generat\$1 adj5 signature withcompar\$4) and (wireless) and (access adj point) and @ad<"20031029" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/10 16:05
S110	1	(generat\$1 adj5 signature with compar\$4) and (wireless) and (access adj point) and @ad<"20031029" and ("713" or "726" or "380"). clas.	US-PGPUB; USPAT	OR	ON	2009/11/10 16:06
S111	10225	((generat\$3 or creat\$4) near5 signature) same (compar\$3 or match\$3 or against or authenticat\$4)	US-PGPUB; USPAT	OR	ON	2009/11/11 11:31
S112	4940	((generat\$3 or creat\$4) near3 signature) with (compar\$3 or match\$3 or against or authenticat\$4)	US-PGPUB; USPAT	OR	ON	2009/11/11 11:32
S113	2014	((generat\$3 or creat\$4) near3 signature) with (compar\$3 or match\$3 or against or authenticat\$4) and wireless	US-PGPUB; USPAT	OR	ON	2009/11/11 11:34
S114	224	((generat\$3 or creat\$4) near3 signature) with (compar\$3 or match\$3 or against or authenticat\$4) and (access adj point)	US-PGPUB; USPAT	OR	ON	2009/11/11 11:34

S115	49	((generat\$3 or creat\$4) near3 signature) with (compar\$3 or match\$3 or against or authenticat\$4) and (access adj point) and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/11 11:34
S116	36	((generat\$3 or creat\$4) near3 signature) with (authenticat\$4) and (access adj point) and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/11 11:35
S117	1	((re\$1generat\$3 or re\$1creat\$4) near3 signature) same (compar\$4 or match\$4 or against) and (access adj point) and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/11 12:06
S118	16	((generat\$3 or creat\$4) near3 certificate) same (compar\$4 or match\$4 or against) and (access adj point) and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/11 13:21
S119	1	((re\$1generat\$3 or re\$1creat\$4) near3 certificate) same (compar\$4 or match\$4 or against) and (access adj point) and @ad< "20030729"	US-PGPUB; USPAT	OR	ON	2009/11/11 13:27
S120	3	credential with ((session adj identifier) or SID or SSID) with ((random adj number) or nonce)	US-PGPUB; USPAT	OR	ON	2009/11/11 16:33
S121	4	credential same ((session adj identifier) or SID or SSID) with ((random adj number) or nonce)	US-PGPUB; USPAT	OR	ON	2009/11/11 16:41
S122	1	S121 not S120	US-PGPUB; USPAT	OR	ON	2009/11/11 16:42
S123	9646	(713/168-174,182-186).ccls.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2009/11/11 17:22
S124	17440	713/168-174,182-186.ccls. or 709/229,225.ccls.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2009/11/11 17:22
S125	17440	(713/168-174,182-186).ccls. or (709/229,225).ccls.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2009/11/11 17:23
S126	14824	(713/168-174,182-186).ccls. or (709/229,225).ccls. and @ad< "20030729"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2009/11/11 17:24

S127	31	((generat\$3 or creat\$4) near3 signature) with (compar\$3 or match\$3 or against or authenticat\$4) and (access adj point) and ((713/168-174,182-186). ccls. or (709/229,225).ccls. and @ad<"20030729")	US-PGPUB; USPAT	OR	ON	2009/11/11 17:25
S128	177	(generat\$1 adj5 signature withcompar\$4) and (wireless) and @ad<"20031029" and ((713/168-174,182-186). ccls. or (709/229,225).ccls. and @ad<"20030729")	US-PGPUB; USPAT	OR	ON	2009/11/11 17:26
S129	212	(user or client) near20 (select\$4 or choos\$4) near20 ((server or service) near5 (authenticat\$4 or verif \$4 or validat\$3)) and (mobile or wireless) and ((713/168-174,182-186). ccls. or (709/229,225).ccls. and @ad<"20030729")	US-PGPUB; USPAT	OR	ON	2009/11/11 17:26
S130	48	2003/0037108 or "20030051041" or 2002/0194498 or "6529728". pn. or 2001/0044310	US-PGPUB; USPAT	OR	ON	2010/04/05 10:08
S131	34	2001/0044310	US-PGPUB; USPAT	OR	ON	2010/04/05 10:30
S132	99	2001/0044310 or lincke.in.	US-PGPUB; USPAT	OR	ON	2010/04/05 10:31
S133	2	"20010044310"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/05 17:11
S134	2	"20010044310"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 09:37
S135	2	"20030037108"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 10:17

S136	2578	authentica\$4 with (window message popup pop?up) with (sucess\$4 succeed failure fail failed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 14:39
S137	809	authentica\$4 with (window message popup pop?up) with (sucess\$4 succeed failure fail failed) and @ad< "20030729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 14:40
S138	105642	authentica\$4 with (window message popup pop?up) with (sucess\$4 succeed failure fail failed) and @ad< "20030729" and ("713" "726" "380").cla	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 14:41
S139	347	authentica\$4 with (window message popup pop?up) with (sucess\$4 succeed failure fail failed) and @ad< "20030729" and ("713" "726" "380").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 14:42
S140	27	(authentication near3 server) near16 (redirect\$4 or re?direct\$4) near20 (signature signed sign)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 15:23
S141	258	authentica\$3 same (access \$3 service) same (header preamble) with (sign signs signed signing signature certificate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 17:18
S142	76	authentica\$3 same (access \$3 service) same (header preamble) with (sign signs signed signing signature certificate) and @ad< "20030729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 17:18
S143	45	authentica\$3 same (access \$3 service) same (header preamble) with (sign signs signed signing signature certificate) and ("713"/\$.ccls. "726"/\$.ccls. "380"/\$.ccls.) and @ad< "20030729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 17:18

S144	45	authentica\$3 same (access \$3 service) same (header preamble) with (sign signs signed signing signature certificate) and ("713"/\$. ccls. "726"/\$.ccls. "380"/\$. ccls.) and @ad<"20030729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 11:15
S145	10	"7702100".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:07
S146	3	2005/0213756	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:37
S147	10	2003/0198345	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:41
S148	2	2003/0198345 and (key adj addition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:41
S149	0	2003/0198345 and buer.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:45
S150	656	buer.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:45
S151	0	buer-van.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 18:45

S152	12	("20020191784" "20030108195" "20030198345" "4322577" "4797921" "5818744" "6246768" "6779011" "6873707" "6914984" "6931127" "6937727").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/18 18:49
S153	65	(http near2 header) near10 (signature certificate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 17:44
S154	216	(generat\$4 creat\$4) near10 (signature) with (embed\$3 near5 (data information) SIP SSID SID ID identifier identification) with (MAC random adj number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 19:47
S155	103	(generat\$4 creat\$4) near10 (signature) with (embed\$3 near5 (data information) SIP SSID SID ID identifier identification) with (MAC random adj number) and @ad< "20030729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 19:48
S156	1	(generat\$4 creat\$4) near10 (signature) with (embed\$3 near5 (data information)) with (MAC random adj number) and @ad< "20030729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 19:54
S157	9	(generat\$4 creat\$4) near10 (signature) with (embed\$3 near5 (data information) SIP SSID SID ID identifier identification) with (MAC) and @ad< "20030729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 19:54
S158	0	(generat\$4 creat\$4) near10 (signature) with (SIP SSID SID ID identifier identification) with (MAC adj address) and @ad< "20030729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 20:24
S159	9	(generat\$4 creat\$4) near10 (signature) with (SIP SSID SID ID identifier identification) with (MAC) and @ad< "20030729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 20:24

S160	122	(generat\$4 creat\$4) near10 (signature) with (SIP SSID SID ID identifier identification) with (random) and @ad< "20030729"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/01 20:27
S161	0	(access near2 point AP) with (associat\$3 map\$4) near10 (session near2 (identifier ID) with (rand random)) near10 ((user client) near2 (id identifier))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2011/02/07 17:44
S162	0	(access near2 point AP) same ((associat\$3 map\$4) near10 (session near2 (identifier ID) with (rand random)) near10 ((user client) near2 (id identifier)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2011/02/07 17:45
S163	0	(access near2 point AP) same ((associat\$3 map\$4) near10 (session near2 (identifier ID) and (rand random)) near10 ((user client) near2 (id identifier)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2011/02/07 17:45
S164	0	(access near2 point AP) same ((associat\$3 map\$4) with (session near2 (identifier ID) and (rand random)) with ((user client) near2 (id identifier)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2011/02/07 17:46
S165	252	(access near2 point AP) same ((associat\$3 map\$4) with ((user client) near2 (id identifier)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2011/02/07 17:46
S166	53	(access near2 point AP) same ((associat\$3 map\$4) with ((user client) near2 (id identifier))) and @ad< ("20030729")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2011/02/07 17:47
S167	14	(access near2 point AP) same ((associat\$3 map\$4) with ((user client) near2 (id identifier))) and @ad< ("20030729") and ("380" "713" "726").clas.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2011/02/07 18:03
S168	0	(associat\$3 map\$4 connect \$3 relat\$3) near10 (session near2 (identifier ID) with (rand\$6 random)) near10 ((user client) near2 (id identifier name)) same ((access near2 point) (control\$4 near2 access\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2011/02/11 10:04

S169	0	(associat\$3 map\$4 connect \$3 relat\$3) near10 (session near2 (identifier ID) with (rand\$6 random)) near10 ((user client) near2 (id identifier name)) same ((access near2 point) (control\$4 near2 access\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2011/02/11 10:05
S170	1	(associat\$3 map\$4 connect \$3 relat\$3) with (session near2 (identifier ID) with (rand\$6 random)) with ((user client) near2 (id identifier name)) same ((access near2 point) (control\$4 near2 access\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2011/02/11 10:06
S171	11	(associat\$3 map\$4 connect \$3 relat\$3) with (session near2 (identifier ID) with (rand\$6 random)) with ((user client) near2 (id identifier name)) and ((access near2 point) (control\$4 near2 access\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2011/02/11 10:10
S173	84	(stor\$3 sav\$3) near10 (map \$4 associat\$3 relat\$3) with (IP (access near2 point)) and (access near2 control \$4).ab. and @ad< "20030729"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2011/02/11 10:15
S174	30	(stor\$3 sav\$3) near10 (map \$4 associat\$3 relat\$3) with (IP (access near2 point)) and authentication and (access near2 control\$4).ab. and @ad< "20030729"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2011/02/11 10:18
S175	9	(stor\$3 sav\$3) near10 (map \$4 associat\$3 relat\$3) with (IP (access near2 point)) and (authentication near2 server) and (access near2 control\$4).ab. and @ad< "20030729"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2011/02/11 10:19
S176	42	(stor\$3 sav\$3) near10 (map \$4 associat\$3 relat\$3) with (IP (access near2 point)) and (access near2 control \$4).ab. and "726".clas.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:37

2/ 11/ 2011 3:58:15 PM

C:\ Documents and Settings\ jsims2\ My Documents\ EAST\ Workspaces\ 10566393.wsp